



Doster Sp. z o.o.

43-210 Kobiór ul. Leśników 5  
tel +48 32 219 09 20  
fax +48 32 218 81 78  
www.doster.pl

---

## product data sheet

Name of preparation: **HYDOS DH-01**

**Preparation for water treatment in steam boiler systems.**

### Application and properties:

HYDOS DH-01 hampers corrosion processes in boiler systems and the entire heating system. It has a very strong property of removing oxygen dissolved in water.

HYDOS DH-01 has properties stabilising hardness of cycle water and it disperses deposits.

### Dosage:

HYDOS DH-01 preparation is to be dosed proportionally to the amount of make-up water with a dosing pump. Specific dosage depends on a type and physiochemical composition of make-up water.

Precise dosage is determined on the basis of water analyses.

*If a part of a system is made of aluminium, consultation with one of representatives of Doster is required.*

### Technical data:

external appearance	: amber liquid
density for 25°C (g/cm <sup>3</sup> )	:~1.065
1% solution pH	:6.0-7.0
water solubility	:in every concentration

### Impact on the natural environment:

The preparation does not adversely affect the natural environment. Water containing the prescribed doses of the preparation may be discharged to a sewage system.

### Method of use of HYDOS DH-01:

In the concentrated form HYDOS DH-01 is an irritant preparation. For protection it is recommended to use protective goggles and rubber protective gloves. If the product gets into eyes, rinse them with a large amount of water. Other information about safe handling of the product are contained in its data sheet.

### Storage:

Expiry date: one year from date of production, in original packaging. Protect against frost and direct exposure to sun.

### Packaging:

Plastic containers with the capacity of 25, 200, 1,000 litres.

*Type of a preparation, a dosage method and a size of a dose should be every time consulted with a representative of DOSTER Sp. z o.o.*

Additional information about the preparation may be obtained at +48 32 219 09 20, +48 32 218 81 78.

